
Home Energy Rating Certificate


Property							
Charling Homos and Land	HERS	Confirmed		Datary John D. Kuisar			
Sterling Homes and Land	Rating Type:	Confirmed	Certified Energy F	Rater: John R Kuiper			
2382 Viridian Pl	Rating Date:	11/12/20	Rating Number:				
Grand Rapids, MI 49505	Registry ID:	612774411		1			
				Estimated	d Annual En	ergy Cost	
HERS Index: 57				Use	MMBtu	Cost	Percen
				Heating	43.5	\$354	26%
General Information				Cooling	1.5	\$63	5%
Conditioned Area	2309 sq. ft.	House Type Apa	artment, end unit	Hot Water	11.2	\$85	6%
Conditioned Volume	21294 cubic ft.	Foundation Con	nditioned basement	Lights/Appliances	20.3	\$675	49 %
Bedrooms	2			Photovoltaics	-0.0	\$-0	-0%
				Service Charges		\$210	15%
Mechanical Systems	Features			Total	76.5	\$1387	100%
Water Heating:	Conventional, Natural ga	s, 0.67 EF, 40.0 Gal.			- · · ·		
Heating:	Fuel-fired air distribution, Natural gas, 96.0 AFUE.			Criteria			
rieating.		i, nacarac 545, 701071	IUL.				
Cooling:	Air conditioner, Electric,	_		This home meets or excee	ds the minimum o	riteria for the	following:
-		_	1 UL.	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling:	Air conditioner, Electric,	13.0 SEER.	1 OL.	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside	Air conditioner, Electric, 7.68 CFM25	13.0 SEER.	1 OL.	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes	13.0 SEER.	, UL.	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes	13.0 SEER.	R-0.0 Edge, R-0.0 Under	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es	13.0 SEER. 4 watts.		This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA	13.0 SEER. 4 watts. Slab	R-0.0 Edge, R-0.0 Under	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA	13.0 SEER. 4 watts. Slab Exposed Floor	R-0.0 Edge, R-0.0 Under NA	This home meets or excee	ds the minimum o	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic Vaulted Ceiling	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA NA	13.0 SEER. 4 watts. Slab Exposed Floor Window Type	R-0.0 Edge, R-0.0 Under NA U-Value: 0.290, SHGC: 0.310			riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic Vaulted Ceiling Above Grade Walls	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA NA R-13.0	13.0 SEER. 4 watts. Slab Exposed Floor Window Type Infiltration Rate	R-0.0 Edge, R-0.0 Under NA U-Value: 0.290, SHGC: 0.310 Htg: 1.92 Clg: 1.92 ACH50	This home meets or excee		riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic Vaulted Ceiling Above Grade Walls	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA NA R-13.0 R-10.0	13.0 SEER. 4 watts. Slab Exposed Floor Window Type Infiltration Rate	R-0.0 Edge, R-0.0 Under NA U-Value: 0.290, SHGC: 0.310 Htg: 1.92 Clg: 1.92 ACH50	The Home Energy Asses		riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic Vaulted Ceiling Above Grade Walls Foundation Walls	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA NA R-13.0 R-10.0	13.0 SEER. 4 watts. Slab Exposed Floor Window Type Infiltration Rate	R-0.0 Edge, R-0.0 Under NA U-Value: 0.290, SHGC: 0.310 Htg: 1.92 Clg: 1.92 ACH50	The Home Energy Asses John R Kuiper	sor	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic Vaulted Ceiling Above Grade Walls Foundation Walls	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA NA R-13.0 R-10.0 Features	13.0 SEER. 4 watts. Slab Exposed Floor Window Type Infiltration Rate Method	R-0.0 Edge, R-0.0 Under NA U-Value: 0.290, SHGC: 0.310 Htg: 1.92 Clg: 1.92 ACH50 Blower door	The Home Energy Assess John R Kuiper 3015 Rosebury Ave SE	sor	riteria for the	following:
Cooling: Duct Leakage to Outside Ventilation System Programmable Thermostat Building Shell Featur Ceiling Flat Sealed Attic Vaulted Ceiling Above Grade Walls Foundation Walls Lights and Appliance Interior Fluor Lighting (%)	Air conditioner, Electric, 7.68 CFM25 Exhaust Only: 65 cfm, 7. Heat=Yes; Cool=Yes es NA NA NA R-13.0 R-10.0 Features 0.0	13.0 SEER. 4 watts. Slab Exposed Floor Window Type Infiltration Rate Method Range/Oven Fuel	R-0.0 Edge, R-0.0 Under NA U-Value: 0.290, SHGC: 0.310 Htg: 1.92 Clg: 1.92 ACH50 Blower door Natural gas	The Home Energy Asses John R Kuiper 3015 Rosebury Ave SE Grand Rapids, MI 49508	sor	riteria for the	following:

REM/Rate - Residential Energy Analysis and Rating Software v16.0.3

This information does not constitute any warranty of energy costs or savings. © 1985-2020 NORESCO, Boulder, Colorado. The Home Energy Rating Standard Disclosure for this home is available from the rating provider.



HERS PERFORMANCE HERS[®] Index **ENERGY** More Energy 150 RATING 140 Existing 130 Homes 120 **CERTIFICATE** 110 Standard 100 New Home



90 80 70

60

0

This Home

57

Less Energy

	Grand Rapids, MI 49505	Electric(kWh): 4897	John R Kuiper		
House Type	Apartment, end unit	Natural gas(CCF): 615	3015 Rosebury Ave SE		
Cond. Area	2309 sq. ft.	C02 emissions(Tons): 7	Certified Rater	John R Kuiper	
Rating No.	А	nnual Savings**: \$1612	Rater ID	6388891	
Issue Date	December 01, 2020 *	Based on standard operating conditions	Registry ID	612774411	
Certification	Inspected and Tested **	Based on a HERS 130 Index Home	Rating Date	11/12/20	

Zero Energy

Home

REM/Rate - Residential Energy Analysis and Rating Software v16.0.3

This information does not constitute any warranty of energy costs or savings. © 1985-2020 NORESCO, Boulder, Colorado. The Home Energy Rating Standard Disclosure for this home is available from the rating provider.